

MATERIAL SAFETY DATA SHEET

Grout Colorant 996

HMIS

HEALTH	1
FLAMMABILITY	0
REACTIVITY	1
PERSONAL PROTECTION	B

1. Product And Company Identification

Supplier

C-CURE
13001 SEAL BEACH BLVD.
SEAL BEACH, CA 90740 USA

Company Contact: GEORGE MARCINA
Telephone Number: 562 968 2980 Ext 103
FAX Number: 562 903 2697
E-Mail: georgem@cbpmail.net
Web Site: WWW.C-CURE.COM

Manufacturer

C-CURE
13001 SEAL BEACH BLVD.
SEAL BEACH, CA 90740 USA

Company Contact: GEORGE MARCINA
Telephone Number: 562 968 2980 Ext 103
FAX Number: 562 903 2697
E-Mail: georgem@cbpmail.net
Web Site: WWW.C-CURE.COM

Supplier Emergency Contacts & Phone Number

GEORGE MARCINA: 562 968 2980 Ext 103

Manufacturer Emergency Contacts & Phone Number

GEORGE MARCINA: 562 968 2980 Ext 103

Issue Date: 04/19/2007

Product Name: Grout Colorant 996
CAS Number: Not Established
Chemical Family: Epoxy
Chemical Formula: MIXTURE
MSDS Number: 594
Product Code: ClrFst

2. Composition/Information On Ingredients

Ingredient Name	CAS Number	Percent Of Total Weight
2-POPOXYETHANOL	2807-30-9	1 - 10
BASEDEPOXY RESIN	Not Establ.	10 - 20
SOLVENTNAPHTHA,PETROLEUM	64742-88-7	0 - 5

3. Hazards Identification

Primary Routes(s) Of Entry

SKIN, EYES AND NOSE.

Eye Hazards

MAY CAUSE SEVERE IRRITATION, PAIN AND TEARING, EXCESS REDNESS, SWELLING. CHEMICAL BURN ARE POSSIBLE.

Skin Hazards

MAY CAUSE IRRITATION, REDDENING, SWELLING, RASH SCALING AND BLISTERING. REPEATED AND / OR PROLONGED USE CAN DRY AND DEFAT SKIN, CAUSING CRACKS, IRRITATION AND DERMITITIS.

Ingestion Hazards

INGESTION MAY CAUSE DIGESTIVE TRACT IRRITATION, NAUSEA, VOMITTING AND DIARRHEA.

MATERIAL SAFETY DATA SHEET

Grout Colorant 996

3. Hazards Identification - Continued

Inhalation Hazards

OVEREXPOSURE MAY CAUSE DIFFICULTY IN BREATHING, HEADACHE, NAUSEA, VOMITING AND DROWSINESS. PROLONGED EXPOSURE MAY RESULT IN LUNG DAMAGE

Conditions Aggravated By Exposure

PRE-EXISTING EYE DISORDERS. PRE-EXISTING SKIN AND RESPIRATORY DISORDERS MAY INCREASE THE CHANCE OF DEVELOPING ALLERGY SYMPTOMS. EXPOSURE MAY AGGREGATE IMPAIRED BLOOD FORMING CONDITIONS.

4. First Aid Measures

Eye

IMMEDIATELY FLUSH WITH RUNNING WATER FOR 15 MIN. HOLD EYELIDS APART TO INSURE RINSING OF ENTIRE EYE SURFACE AND LID WITH WATER. FLUSH FOR ADDITIONAL 15 MINUTES. GET IMMEDIATE MEDICAL ATTENTION.

Skin

IMMEDIATELY WIPE OFF EXCESS MATERIAL WITH A DRY TOWEL. REMOVE CONTAMINATED CLOTHING AND SHOES. WASH AFFECTED AREAS THOROUGHLY WITH LARGE AMOUNTS OF SOAP AND WATER FOR AT LEAST 15 MINUTES. GET IMMEDIATE MEDICAL ATTENTION.

Ingestion

SEEK IMMEDIATE MEDICAL ATTENTION. DO NOT GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

Inhalation

MOVE PERSON TO FRESH AIR. SEEK MEDICAL ATTENTION. IF BREATHING IS DIFFICULT, QUALIFIED PERSONNEL MAY ADMINISTER OXYGEN.

Note To Physician

IF MORE THAN 2 ML / KG WAS INGESTED AND VOMITTING DID NOT OCCUR, EMESIS SHOULD BE INDUCED WITH SUPERVISION. IF LOSS OF GAG REFLECT, CONVULSION OR UNCONSCIOUSNESS OCCUR BEFORE EMESIS, GASTRIC LAVAGE USING A CUFFED ENDOTRACHEAL TUBE SHOULD BE CONSIDERED.

5. Fire Fighting Measures

Flash Point: N/A °F

Lower Explosive Limit: N/A

Upper Explosive Limit: N/A

Fire And Explosion Hazards

DECOMPOSITION AND COMBUSTION PRODUCTS MAY BE TOXIC.

Extinguishing Media

FOAM, CO2, DRY CHEMICAL, WATER SPRAY.

Fire Fighting Instructions

USE SELF CONTAINED BREATHING APPARATUS.

COMBUSTION OR DECOMPOSITION PRODUCTS MAY BE TOXIC.

6. Accidental Release Measures

IN CASE MATERIAL IS RELEASED OR SPILLED, AVOID ALL PERSONAL CONTACT. SOAK UP IN ABSORBENT MATERIAL AND SHOVEL INTO A CLOSABLE CONTAINER. FLUSH AREA WITH WATER SPRAY. AVOID INHALATION OF VAPORS.

MATERIAL SAFETY DATA SHEET

Grout Colorant 996

7. Handling And Storage

Handling And Storage Precautions

USE ONLY IN AREAS WITH GOOD VENTILATION. WASH THOROUGHLY AFTER HANDLING. STORE IN DRY AREAS AWAY FROM HEAT OR OPEN FLAME.

Work/Hygienic Practices

PRACTICE CAUTION AND PERSONAL CLEANLINESS TO AVOID SKIN AND EYE CONTACT. AVOID BREATHING VAPORS OF HEATED PRODUCT.

8. Exposure Controls/Personal Protection

Engineering Controls

USE IN WELL VENTILATED AREAS.

Eye/Face Protection

WEAR SAFETY GLASSES WITH SIDE SHIELDS. IN EMERGENCY SITUATIONS, USE EYE GOGGLES WITH A FULL FACE SHIELD.

Skin Protection

WEAR CHEMICAL RESISTANT, PLASTIC OR RUBBER GLOVES.

Respiratory Protection

NONE REQUIRED UNDER NORMAL CONDITIONS. IF NEEDED, WEAR ORGANIC CHEMICAL CARTRIDGE RESPIRATOR.

Other/General Protection

WEAR APPROPRIATE CLOTHING TO PREVENT THE POSSIBILITY OF SKIN OR EYE CONTACT.

Ingredient(s) - Exposure Limits

SOLVENT NAPHTHA, PETROLEUM

OSHA/PEL = 100PPM

ACGIH/TLV = 100 PPM

TWA - 1200 mg.m3

WEAR APPROPRIATE CLOTHING TO PREVENT CONTACT WITH SKIN AND EYES.

9. Physical And Chemical Properties

Appearance

COLORED LIQUID.

Chemical Type: Mixture

Physical State: Liquid

Boiling Point: 212 °F

Specific Gravity: 1.05

Percent Volatiles: 80

Percent VOCs: 1.4%

Vapor Density: HEAVIER THAN AIR

Solubility: DISPERSIBLE

Evaporation Rate: SLOVER THAN ETHER

10. Stability And Reactivity

Stability: STABLE

Hazardous Polymerization: WILL NOT OCCUR.

Conditions To Avoid (Stability)

EXCESSIVE HEAT

Incompatible Materials

MINERAL AND ORGANIC BASES, OXIDIZING AGENTS, ALIPHATIC AMINES, CURING AGENTS.

MATERIAL SAFETY DATA SHEET

Grout Colorant 996

10. Stability And Reactivity - Continued
<u>Incompatible Materials - Continued</u> .
<u>Hazardous Decomposition Products</u> CARBON MONOXIDE, CARBON DIOXIDE.
<u>Conditions To Avoid (Polymerization)</u> CONTACT WITH HARDENERS
11. Toxicological Information
No Data Available...
12. Ecological Information
No Data Available...
13. Disposal Considerations
DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.
<u>RCRA Information</u> NOT A HAZARDOUS WASTE UNDER RCRA (40 CFR 261).
14. Transport Information
<u>DOT Shipping Label</u> NOT REGULATED
15. Regulatory Information
<u>U.S. Regulatory Information</u>
<u>Ingredient(s) - U.S. Regulatory Information</u> SOLVENT NAPHTHA, PETROLEUM OSHA Process Safety Management - 1910.119 App A Hazardous Chemical SARA - Fire Hazard
<u>State Regulations</u>
16. Other Information
<u>HMIS Rating</u> Health: 1 Fire: 0 Reactivity: 1 Personal Protection: B
<u>Revision/Preparer Information</u> MSDS Preparer: GEORGE MARCINA MSDS Preparer Phone Number: (323) 582-0846 This MSDS Supersedes A Previous MSDS Dated: 03/10/2006

MATERIAL SAFETY DATA SHEET

Grout Colorant 996

Disclaimer

THE INFORMATION PRESENTED HERE IS BELIEVED TO BE ACCURATE BUT IS NOT WARRANTED TO BE, WHETHER ORIGINATING WITH THE COMPANY OR NOT. RECIPIENTS ARE ADVISED TO CONFIRM IN ADVANCE OF NEED, THAT THE INFORMATION IS CURRENT APPLICABLE, AND SUITABLE TO THEIR CIRCUMSTANCES.

C-CURE

Printed Using MSDS Generator™ 2000